


# DOOR

## SINGLE HINGED

Single leaf hinged doors, with zinc coated iron hinges, can be built using all Accesssafe ranges of framed panels. The door can be pre assembled at our factory, or it can be supplied as Door in a Box, to be assembled on site. Posts and assembly accessories are supplied but door panels need to be purchased separately. All doors have floor fixing plugs and include UNI EN ISO 14120 captive bolts.



### LOCKS



#### GAMMA

High quality lock with aluminum housing and stainless steel mechanism. It is supplied with a set of 2 anodized aluminum handles. Key lock is available upon request.


COMPATIBILITY: DEDICATED PANELS IN 30mm TUBULAR



#### LATCH

Brass mechanic groove and tongue lock.

COMPATIBILITY: ALL FRAMED PANELS



#### NEUTRAL


Lock-free system for optional fitting of accessories such as a safety push bar or safety electronic locks.

COMPATIBILITY: ALL FRAMED PANELS

### CROSSPIECE



WITH






WITHOUT

### COMPATIBILITY

Doors are compatible with guard systems built with framed panels and META or VITERIA posts

### COLOURS (RAL)

All doors undergo epoxy coating process.


-  9005
-  1018
-  7035

Other colours upon request.

### BASE, TUBULAR AND FLOOR FITTING

#### WELDED BASE


#### ADJUSTABLE BASE



**40x40** 2 M8 galvanized steel mechanic plugs

**60x60** 4 M8 galvanized steel mechanic plugs


PLATE SIZE: 192x100mm



**40x40** 2 M8 galvanized steel mechanic plugs

Height setting 18mm


PLATE SIZE: 35x155mm



**60x60** 4 M8 galvanized steel mechanic plugs


Height setting 25mm

PLATE SIZE: 192x100mm



**80x80** 4 M8 galvanized steel mechanic plugs


PLATE SIZE: 200x200mm



**80x80** 4 M8 galvanized steel mechanic plugs

Height setting 25mm

PLATE SIZE: 200x200mm



**80x80** 4 M8 galvanized steel mechanic plugs

Height setting 40mm

PLATE SIZE: 200x200mm

## CODE STRUCTURE

VFDA. B **①** **②** **③** **④** **⑤** **⑥** **⑦** **⑧**  
**S C N B R 2 .0700 2020**

<b>①</b>	<b>OPENING</b>
<b>S</b>	Single opening

<b>②</b>	<b>CROSSPIECE</b>
<b>C</b>	With crosspiece
<b>S</b>	Without crosspiece

<b>③</b>	<b>LOCK</b>
<b>N</b>	Latch
<b>G</b>	Gamma
<b>0</b>	Neutral housing

<b>④</b>	<b>TUBULAR SECTION AND POST BASE</b>
<b>A</b>	40x40 post with adjustable base
<b>B</b>	40x40 post with welded base
<b>C</b>	60x60 post with adjustable base
<b>D</b>	60x60 post with welded base
<b>E</b>	80x80 post with high adjustable base
<b>F</b>	80x80 post with low adjustable base
<b>G</b>	80x80 post with welded base

<b>⑤</b>	<b>PANEL COMPATIBILITY</b>
<b>R</b>	Mesh panel
<b>C</b>	Closed panel
<b>0</b>	No need to identify

<b>⑥</b>	<b>FRAME (mm)</b>
<b>2</b>	20x20
<b>3</b>	30x30

<b>⑦</b>	<b>OPENING WIDTH (mm)</b>
0700   0800   1000   1200   1500   2000	

<b>⑧</b>	<b>HEIGHT (mm)</b>
1080   1420   2020   2220   2520	